



Compact Hurricane Series

Automatic Scrubbers

Codes: Mini (19352-C-AGM)

Maxi (19355-C-AGM)

450 XTT (19362-C-AGM)





Exclusive Squeegee System



The system assures high performance throughout the cleaning task. It provides incomparable drying results even on the most difficult surfaces due to a very unique design. The blades can be used on 4 sides before needing replacement.

Removable recovery tank to facilitate dirty water dumping and easy access to internal compartments.

Compact in size, it still offers large solution and recovery tank.

Control panel is easy to use and intuitive. Switches are protected against water and humidity. Includes a battery level indicator.

High density polyethylene tanks. Metal chassis with anti-corrosion treatment.

Adjustable multi-position handle allows many applications with maximum comfort to the operator, even in narrow areas. Also folds for easy storage.

Spin-on spin-off brush pad driver (single brush only) allows for brush replacement without tools.

Unique design and even weight distribution allow for greater maneuverability. Goes where bigger scrubbers can't.

Solution stops with the brush drive, eliminating waste. The Compact Series also features CFS (Center Flow System), where the solution distribution is made from the brush center.

Squeegee system designed to absorb harsh impact and blades can be changed without the use of tools.



Optimal Compact Performance

The Compact Hurricane Series features a unique offering of scrubbers that are excellent for small or difficult areas. They use our professional metal squeegee, made with an exclusive "V" shape that gives the best drying results no matter the surface. The height-adjustable handle and even weight distribution makes the Compact series easy to use and very maneuverable. It is ergonomic and allows great working visibility.



The Compact Series

These models are the perfect fit as their unique size facilitates the cleaning of a variety of small to medium size areas.



Removable recovery tank

The recovery tank can be removed without tools, for easy dirty water dumping and quick access to internal compartments.



Solution control with automatic stop

Save water and detergent! Solution flow shuts off when the brush drive stops, minimizing product waste.



Easy to use control panel

The control panel is user friendly, minimizing operator error. It activates the brush, vacuum motor and water supply.



Height-adjustable handle

The handle can be easily adjusted during use to allow for cleaning in difficult to reach areas.





Mini / Maxi / 450 XTT Hurricane Series

Compact Automatic Scrubbers

New Handle Design

Extremely robust but light, the new handle makes the machine even easier to maneuver thanks to the ergonomic design of the handles, enhancing any work conditions, and does not strain the operator. The adjustable multi-position handle also allows for cleaning in difficult to reach areas. The handle even fold for easier storage.

Goes Where Bigger Scrubbers Can't

Compact in size, but it provides the high productivity and long battery life of a larger scrubber. It is perfect for areas where automatic scrubbers are too large.

Removable Recovery Tank

The recovery tank can be removed simply without tools, for easy dirty water draining and quick access to internal compartments.



Specifications	Mini	Maxi	450 XTT
Model Number	19352-C-AGM	19355-C-AGM	19362-C-AGM
Productivity (Theoretical at max speed)	14,000 ft ² /hr (1301 m ² /hr)	17,980 ft ² /hr (1670 m ² /hr)	18,836 ft ² /hr (1750 m ² /hr)
Scrubbing Width	14" (36 cm)	18" (46 cm)	20" (51 cm)
Squeegee Width	18" (46 cm)	22" (56 cm)	24" (61 cm)
Numbers of brushes	1 x 14" (1 x 36 cm)	1 x 18" (1 x 46 cm)	1 x 20" (1 x 51 cm)
Brush/Pad Speed	140 rpm	140 rpm	140 rpm
Brush Motor Power	200 W	350 W	350 W
Motor Type	3-stage (550 W)	3-stage (550 W)	3-stage (550 W)
Water Lift at Squeegee	40" (102 cm)	44" (112 cm)	44" (112 cm)
Traction Motor	No	No	No
Solution Tank Capacity	4 Gal (15 L)	8 Gal (30 L)	11 Gal (40 L)
Recovery Tank Capacity	5 Gal (19 L)	8 Gal (30 L)	12 Gal (45 L)
Power Supply	24 V (2 x 12 V)	24 V (2 x 12 V)	24 V (2 x 12 V)
Maximum Speed	N/A	N/A	N/A
Weight (Without Batteries)	80 lbs (36 kg)	105 lbs (45 kg)	154 lbs (70 kg)
Unit Size (L x W x H)	29" x 16" x 21" (74 x 41 x 53 cm)	38" x 22" x 48" (97 x 56 x 122 cm)	22" x 33" x 48" (56 x 84 x 122 cm)
Run Time	1.5 hrs	2 hrs	2 hrs
Noise Level	68 dB	68 dB	68 dB
Approval(s)	N/A	N/A	N/A

